

OPTIONAL PARTS for VRF

Connection Units

Separation Tube

Gas Pipe  Liquid Pipe  UTP-AX054A	Gas Pipe  Liquid Pipe  UTP-AX090A	Gas Pipe  Liquid Pipe  UTP-AX180A	Gas Pipe  Liquid Pipe  UTP-AX567A
Suction Gas Pipe  Discharge Gas Pipe  Liquid Pipe  UTP-BX090A	Suction Gas Pipe  Discharge Gas Pipe  Liquid Pipe  UTP-BX180A	Suction Gas Pipe  Discharge Gas Pipe  Liquid Pipe  UTP-BX567A	

Header

Gas Pipe  Liquid Pipe  UTR-H0906L / UTR-H1806L	Gas Pipe  Liquid Pipe  UTR-H0908L / UTR-H1808L
Suction Gas Pipe  Discharge Gas Pipe  Liquid Pipe  UTP-J0906A / UTP-J1806A	Suction Gas Pipe  Discharge Gas Pipe  Liquid Pipe  UTP-J0908A / UTP-J1808A

Outdoor Unit Branch Kit

Gas Pipe  Liquid Pipe  UTP-CX567A
Suction Gas Pipe  Discharge Gas Pipe  Liquid Pipe  UTP-DX567A

EV Kit

For Compact Wall Mounted type  Model code ≤ 09 : UTR-EV09XB Model code ≥ 12 : UTR-EV14XB
--

RB Unit

Single type  UTP-RX01AH / UTP-RX01BH / UTP-RX01CH	Multi type  UTP-RX04BH
--	---

Specifications

Separation Tube

Model name	UTP-AX054A (for J-IIS only)	UTP-AX090A	UTP-AX180A	UTP-AX567A
Total cooling capacity of indoor unit (kW)	19.6 or less	28.0 or less	28.1 to 56.0	56.1 or more

Model name	UTP-BX090A	UTP-BX180A	UTP-BX567A
Total cooling capacity of indoor unit (kW)	28.0 or less	28.1 to 56.0	56.1 or more

Header

Model name	3-6 Branches	UTR-H0906L	UTR-H1806L
	3-8 Branches	UTR-H0908L	UTR-H1808L
Total cooling capacity of indoor unit (kW)		28.0 or less	28.1 to 56.0

Model name	3-6 Branches	UTP-J0906A	UTP-J1806A
	3-8 Branches	UTP-J0908A	UTP-J1808A
Total cooling capacity of indoor unit (kW)		28.0 or less	28.1 to 56.0

Outdoor unit Branch kit

Model name		UTP-CX567A (for V-II)	UTP-DX567A (for VR-II)
Number of outdoor unit	2 outdoor units	1	
	3 outdoor units	2	

EV Kit

Model name	UTR-EV09XB	UTR-EV14XB
Application model	ASHE04GACH ASHE07GACH ASHE09GACH	ASHE12GACH ASHE14GACH

RB Unit

Type		Single type			Multi type
Model name		UTP-RX01AH	UTP-RX01BH	UTP-RX01CH	UTP-RX04BH
Power source	V/Ø/Hz	230 / 1 / 50			
Input power	W	17	24	31	96
Number of branches		1	1	1	4
Maximum capacity of connectable indoor units (Q)	kW	$Q \geq 8.0$	$Q \leq 18.0$	$Q \leq 28.0$	$Q \leq 56.0$ *1
Maximum capacity of connectable indoor units per branch (Q)	kW	$Q \geq 8.0$	$Q \leq 18.0$	$Q \leq 28.0$	$Q \leq 18.0$
Maximum number of connectable indoor units per branch		3	8	8	8
Dimensions (H×W×D)	mm	198×298×268			260×658×428

*1: In case of two RB units connected in series (total 8-branches), maximum capacity of connectable indoor units is up to 56.0 kW.

OPTIONAL PARTS for VRF

Controllers

For Individual Control

Wired Remote Controller (Touch Panel)

UTY-RNRG



Wired Remote Controller

NEW UTY-RLRG



Simple Remote Controller

UTY-RSKG

With operation mode



Simple Remote Controller

UTY-RHKG

Without operation mode



Wireless Remote Controller

UTY-LNHG



IR Receiver Unit

UTB-YWC

For All Duct type



IR Receiver Unit

UTY-LRHGB1


For Cassette type



For Centralized Control

Group Remote Controller

UTY-CGGG



Central Remote Controller

UTY-DCGG



Touch Panel Controller

UTY-DTGG



System Controller Lite

Software

NEW UTY-ALGX



System Controller



Software

UTY-APGX



Convertors / Adaptors

For External device

BACnet® Gateway Software UTY-ABGX  DVD-ROM (Software) Software Protection Key	Network Convertor for LonWORKS® UTY-VLGX 	KNX® Interface FJ-RC-KNX-1i 
MODBUS® Interface FJ-RC-MBS-1 	Wireless LAN Interface NEW FJ-RC-WIFI-1 	External Switch Controller UTY-TEKX 

For System expansion

Network Convertor UTY-VGGXZ1 	Signal Amplifier UTY-VSGXZ1 
---	--

Panels

For Cassette type

Cassette Grille UTG-UFGC-W For Compact Cassette type 	Cassette Grille UTG-UGGA-W For Cassette type 
--	--

OPTIONAL PARTS for VRF

Others

Communication system: External Connect Kit

For Indoor unit UTY-XWZXZ7  UTY-XWZXZD  UTY-XWZXZB  UTY-XWZXZE  UTY-XWZXZC 		For Outdoor unit UTY-XWZXZ6  UTY-XWZXZ9 	
For RB unit UTY-XWZXZ6  UTY-XWZXZB 		For Central Remote Controller UTY-XWZXZ7  UTY-XWZXZ8  UTY-XWZXZA 	
		For Touch Panel Controller UTY-XWZXZA 	

Function list

		Indoor unit	Outdoor unit	Controller		Other
				Central Remote Controller	Touch Panel Controller	RB Unit
Input	Operation / Stop	● UTY-XWZXZD ○ UTY-XWZXZB	—	—	—	—
	All On / All Off	—	—	● UTY-XWZXZ7 ○ UTY-XWZXZ8	—	—
	Batch Stop	—	● UTY-XWZXZ6	—	—	—
	Forced Stop	● UTY-XWZXZD ○ UTY-XWZXZB	—	—	—	—
	Emergency Stop	● UTY-XWZXZD ○ UTY-XWZXZB	● UTY-XWZXZ6	● UTY-XWZXZ7 ○ UTY-XWZXZ8	—	—
	Forced Thermostat off	● UTY-XWZXZE ○ UTY-XWZXZ7	—	—	—	—
	Low Noise Mode Operation	—	● UTY-XWZXZ6	—	—	—
	Cooling / Heating Priority	—	● UTY-XWZXZ6*1	—	—	● UTY-XWZXZ6 ○ UTY-XWZXZB
	"Outdoor Unit Operation Peak Control"	—	● UTY-XWZXZ6	—	—	—
	"Power Usage Information from Electricity Meter"	—	● UTY-XWZXZ6	—	—	—
Output	Operation Status	● UTY-XWZXZC	○ UTY-XWZXZ6	○ UTY-XWZXZA	○ UTY-XWZXZA	—
	Error Status	● UTY-XWZXZC	○ UTY-XWZXZ6	○ UTY-XWZXZA	○ UTY-XWZXZA	—
	Indoor Unit Fun Operation Status	● UTY-XWZXZC	—	—	—	—
	Auxiliary Heater Output	● UTY-XWZXZC*2	—	—	—	—
	Base Heater	—	● UTY-XWZXZ9	—	—	—

*1. Heat Pump type only *2. Duct type only

● : Dry Contact ○ : Apply Voltage

For Duct type

Flange (Round) UTD-RF204

For Medium Static Pressure Duct type /
Ceiling type



Flange (Square) UTD-SF045T

For Medium Static Pressure Duct type



Remote Sensor Unit UTY-XSZX

For All Duct type

New amenity space can be
offered by installing
the Remote sensor.



Long-Life Filter UTD-LF25NA

For Medium Static
Pressure Duct type



UTD-LF60KA

For High Static
Pressure Duct type



Auto Louver Grille Kit

UTD-GXSA-W (for ARXD04/07/09/12/14GALH)
UTD-GXSB-W (for ARXD18GALH)
UTD-GXSC-W (for ARXD24GALH)
For Slim Duct type



Drain Pump Unit

UTZ-PX1BBA

For Low Static Pressure Duct type

UTZ-PX1NBA


For Medium Static
Pressure Duct type



For Cassette type


Wide Panel UTG-AGYA-W

For Cassette type



Panel Spacer UTG-BGYA-W

For Cassette type




Insulation Kit for High Humidity

UTZ-KXGA For Cassette type

UTZ-KXGB For Slim Cassette type

UTZ-KXGC For Compact Cassette type



Fresh Air Intake Kit UTZ-VXAA

For Compact
Cassette type



UTZ-VXGA

For Cassette type



Air Outlet Shutter Plate UTR-YDZB

For Compact Cassette type

Shuts the air outlet when only using as 3 blow out.



Air Outlet Shutter Plate UTR-YDZC

For Cassette type

Shuts the air outlet when only using as 3 blow out.



For Ceiling type

Drain Pump Unit UTR-DPB24T

For Ceiling type

